

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2430	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/15 11:37
L2	2291	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/15 11:37
S1	1	"20020147810"	US-PGPUB	OR	OFF	2005/03/07 17:45
S2	1	"20020184310"	US-PGPUB	OR	OFF	2005/03/03 18:21
S3	1	"20020184311"	US-PGPUB	OR	OFF	2005/03/03 18:21
S4	1	"20020184311"	US-PGPUB	OR	ON	2005/03/04 17:17
S5	43	(peer-to-peer P2P) with resolver	US-PGPUB	OR	ON	2005/03/04 17:18
S6	44	(peer-to-peer P2P) with resolver	US-PGPUB; USPAT	OR	ON	2005/03/04 17:20
S7	1	(peer-to-peer P2P) with resolver and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:22
S8	46	709/229.ccls. and (peer-to-peer P2P) and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:36
S9	0	709/229.ccls. and (peer-to-peer P2P) with resource with management and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:36
S10	0	709/229.ccls. and (peer-to-peer P2P) with resource with resolution and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:37
S11	1	709/229.ccls. and (peer-to-peer P2P) with resource and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:39
S12	1	(peer-to-peer P2P) with resource with management and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:43
S13	0	((peer-to-peer P2P) with resource).ti. and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:44
S14	5	((peer-to-peer P2P) with resource).ab. and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:45
S15	65	((peer-to-peer P2P)).ti. and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:47
S16	1244	709/229.ccls. and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:50
S17	21	709/229.ccls. and resource with resolution and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:53

S18	3	709/229.ccls. and resource with resol\$7 with quer\$3 and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/04 17:54
S19	3	('5999530" "5729682" "5719861").pn.	US-PGPUB; USPAT	OR	ON	2005/03/07 13:06
S20	104	(peer-to-peer p2p) with prox\$3	US-PGPUB; USPAT	OR	ON	2005/03/07 13:07
S21	8	(peer-to-peer p2p) with prox\$3 with resource	US-PGPUB; USPAT	OR	ON	2005/03/07 14:45
S22	1	"20020062375"	US-PGPUB; USPAT	OR	ON	2005/03/07 14:45
S23	0	response with (contain includes) near3 name with (p2p peer-to-peer)	US-PGPUB; USPAT	OR	ON	2005/03/07 17:47
S24	4	(contain includes) near3 name with (p2p peer-to-peer)	US-PGPUB; USPAT	OR	ON	2005/03/07 19:02
S25	0	(p2p peer-to-peer) with (authorized adj access) and @ad<"20010622"	US-PGPUB; USPAT	OR	ON	2005/03/07 19:03
S26	0	(p2p peer-to-peer) with (authorized near4 access) and @ad<"20010622"	US-PGPUB; USPAT	OR	ON	2005/03/07 19:03
S27	278	(p2p peer-to-peer) with (authorized right access) and @ad<"20010622"	US-PGPUB; USPAT	OR	ON	2005/03/07 19:04
S28	4	(p2p peer-to-peer) with (authorized ) and @ad<"20010622"	US-PGPUB; USPAT	OR	ON	2005/03/08 13:51
S29	1	"20020007453"	US-PGPUB; USPAT	OR	ON	2005/03/08 13:52
S30	0	query adj identifier with (p2p peer-to-peer)	US-PGPUB; USPAT	OR	ON	2005/03/08 14:38
S31	0	query adj3 identifier with (p2p peer-to-peer)	US-PGPUB; USPAT	OR	ON	2005/03/08 14:39
S32	2	query adj3 identifier same (p2p peer-to-peer)	US-PGPUB; USPAT	OR	ON	2005/03/08 14:40
S33	608	query adj3 identifier	US-PGPUB; USPAT	OR	ON	2005/03/08 14:40
S34	126	query adj identifier	US-PGPUB; USPAT	OR	ON	2005/03/08 14:40
S35	15	query adj identifier with peer	US-PGPUB; USPAT	OR	ON	2005/03/08 14:42
S36	15	query adj (id identifier) with peer	US-PGPUB; USPAT	OR	ON	2005/03/08 14:42
S37	10	message adj (id identifier) with peer	US-PGPUB; USPAT	OR	ON	2005/03/08 15:20

S38	1	2002/0062375	US-PGPUB; USPAT	OR	ON	2005/03/08 15:21
S39	1	"20020062375"	US-PGPUB; USPAT	OR	ON	2005/03/08 15:23
S40	8	closest with fewest adj2 hop	US-PGPUB; USPAT	OR	ON	2005/03/08 16:42
S41	1	"20020147810"	US-PGPUB; USPAT	OR	ON	2005/03/08 17:46
S42	830	originate adj3 node	US-PGPUB; USPAT	OR	ON	2005/03/08 17:47
S43	1562	originat\$3 with message with node	US-PGPUB; USPAT	OR	ON	2005/03/08 18:09
S44	734	originat\$3 near3 message near3 node	US-PGPUB; USPAT	OR	ON	2005/03/08 18:09
S45	10	originat\$3 near3 message near3 node with peer	US-PGPUB; USPAT	OR	ON	2005/03/08 18:13
S46	0	originat\$3 near3 message near3 proxy with peer	US-PGPUB; USPAT	OR	ON	2005/03/08 18:13
S47	2	originat\$3 near3 proxy with peer	US-PGPUB; USPAT	OR	ON	2005/03/08 18:16
S48	47	originat\$3 near3 proxy and peer	US-PGPUB; USPAT	OR	ON	2005/03/09 12:15
S49	4438	originat\$3 near3 node	US-PGPUB; USPAT	OR	ON	2005/03/09 12:15
S50	18	originat\$3 near3 node with (peer-to-peer p2p)	US-PGPUB; USPAT	OR	ON	2005/03/09 13:55
S51	3703	709/224.ccls.	US-PGPUB; USPAT	OR	ON	2005/03/09 13:55
S52	17	709/224.ccls. and (peer-to-peer p2p) with resource	US-PGPUB; USPAT	OR	ON	2005/03/09 13:55
S53	1	"20030002521"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:03
S54	0	crown with prince with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:04
S55	189	member with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:05
S56	0	crown with member with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:05
S57	96	group with member with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:10
S58	0	prince with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:10
S59	0	crown with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:10
S60	30	join with member with group with (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/09 18:36

S61	13	prince.ab.	US-PGPUB; USPAT	OR	ON	2005/03/09 18:21
S62	1	"20030088544"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:28
S63	0	join with member with group with (peer-to-peer p2p "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:36
S64	3	member with group with (peer-to-peer p2p "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:38
S65	0	discover\$3 with resource with (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:39
S66	2350	(p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:39
S67	1527	group and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:39
S68	562	group and member and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:39
S69	15	group same member same (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/09 18:42
S70	18	discover\$3 same member\$4 and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 12:51
S71	92	discover\$3 same service and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:20
S72	17	service adj3 discover\$3 adj3 protocol and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:09
S73	8	service adj3 discover\$3 adj3 protocol and (p2p peer-to-peer "peer to peer") and member\$4 and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:29
S74	0	service adj3 discover\$3 adj3 protocol and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:31
S75	12	membership same join and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:34
S76	43	membership same service and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:40

S77	8	membership adj3 service and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 16:06
S78	0	membership.ti. and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:46
S79	5	membership.ab. and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:49
S80	1	member adj2 service and (p2p peer-to-peer "peer to peer") and membership and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 13:55
S81	9	member adj2 service and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:12
S82	2	peer adj2 member\$4 and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:14
S83	52	join same group and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:19
S84	3	join adj3 ((peer adj2 group) peer-group) and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:21
S85	57	join adj3 ((peer adj2 group) peer-group)	US-PGPUB; USPAT	OR	ON	2005/03/10 14:29
S86	314	((peer adj2 group peer-group) and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:30
S87	15	join with (peer adj2 group peer-group) and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:38
S88	5	((peer adj2 group peer-group).ti. and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:40
S89	43	((peer adj2 group peer-group).ab. and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 14:58
S90	47	((peer adj2 group peer-group) same resource and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:04
S91	168	crown and prince and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:04
S92	12	crown with prince and @ad<"20020122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:04
S93	4269	content and discover\$3 with protocol (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:09

S94	41	content and discover\$3 with protocol and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:09
S95	22	(US-20020062375-\$ or US-20020156893-\$ or US-20030028585-\$ or US-20030088544-\$ or US-20030050959-\$).did. or (US-5675782-\$ or US-5689708-\$ or US-5805820-\$ or US-5941988-\$ or US-6061794-\$ or US-6101549-\$ or US-6324580-\$ or US-5926619-\$ or US-5805786-\$ or US-6182136-\$ or US-6269099-\$ or US-6286047-\$ or US-6336138-\$ or US-5831975-\$ or US-6810259-\$ or US-5946316-\$ or US-5896503-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/03/10 15:14
S96	13	S95 and (peer adj2 group peer-group member\$4)	US-PGPUB; USPAT	OR	OFF	2005/03/10 15:20
S97	35	(peer adj2 group peer-group) same resource with content	US-PGPUB; USPAT	OR	OFF	2005/03/10 15:21
S98	45	(peer adj2 group peer-group) same resource with content	US-PGPUB; USPAT	OR	ON	2005/03/10 15:23
S99	1	(peer adj2 group peer-group) same resource with content and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:49
S100	3216549	discover\$3 adj2 resource with peer @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:50
S101	0	discover\$3 adj2 resource with peer and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:50
S102	2	discover\$3 adj2 resource same peer and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:52
S103	286	member\$3 same peer and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:52
S104	71	member\$3 same peer and resource and content and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:34
S105	6	membership adj2 service and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/10 16:07
S106	6	membership adj2 service and (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 16:08
S107	43	member\$4 same (p2p peer-to-peer "peer to peer") and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 16:12

S10 8	66	bootstrap adj node	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 16:12
S10 9	1	bootstrap adj node and peer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 16:13
S11 0	5	bootstrap adj2 node and peer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 17:30
S11 1	2	"6182136".pn. "5896503".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/10 17:54
S11 2	3	"6182136".pn. "5896503".pn. "20030002521"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 17:51
S11 3	1	"20020062375"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/12 17:19
S11 4	28472	glued and connection	US-PGPUB; USPAT	OR	ON	2005/03/14 11:34
S11 5	1766	glued with connection	US-PGPUB; USPAT	OR	ON	2005/03/14 11:35
S11 6	211	glued with two with connection	US-PGPUB; USPAT	OR	ON	2005/03/14 11:35
S11 7	144	glued with two with connection and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:35
S11 8	0	"709"/\$.ccls. and glued with two with connection and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:36
S11 9	13	"709"/\$.ccls. and glued and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:39
S12 0	1749	7\$/\$.ccls. and glued and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:40
S12 1	0	"713,714,719"/\$.ccls. and glued and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:41
S12 2	3	"719"/\$.ccls. and glued and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 11:42
S12 3	10	"707"/\$.ccls. and glued and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 13:48
S12 4	11	bind\$3 adj2 service with connection and @ad<"20010122"	US-PGPUB; USPAT	OR	ON	2005/03/14 15:25
S12 5	1	"20020143989"	US-PGPUB; USPAT	OR	ON	2005/03/14 15:33
S12 6	4	terminat\$3 same participat\$3 same (peer-to-peer p2p "peer to peer")	US-PGPUB; USPAT	OR	ON	2005/03/14 15:38

S12 7	21	terminat\$3 same participat\$3 same peer	US-PGPUB; USPAT	OR	ON	2005/03/14 15:48
S12 8	21	terminat\$3 same participat\$3 same peer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 15:48
S12 9	258	terminat\$3 same participat\$3 same session	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 15:49
S13 0	7	terminat\$3 same participat\$3 same session same peer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 15:49
S13 1	3	("6182136".pn. "5896503".pn. "20030002521") and (request response message mechanism discovery method)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:12
S13 2	2932	updat\$3 with new with version	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:12
S13 3	498	updat\$3 adj2 new adj2 version	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:13
S13 4	2	updat\$3 adj2 new adj2 version with peer	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:13
S13 5	209	updat\$3 adj2 new adj2 version and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:14
S13 6	0	updat\$3 adj2 new adj2 version same peer and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:14
S13 7	0	updat\$3 adj2 new adj2 version same discovery and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:14
S13 8	3	updat\$3 adj2 new adj2 version same discove\$4 and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:15
S13 9	1	updat\$3 adj2 new adj2 version with protocol and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:16
S14 0	5	updat\$3 adj2 new adj2 version same protocol and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:19
S14 1	209	updat\$3 adj2 new adj2 version and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:19
S14 2	0	(maintain and updat\$3) adj2 new adj2 version and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 19:19



S14 3	1	maintain with updat\$3 adj2 new adj2 version and @ad<"20010122"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/15 11:37
----------	---	---	---------------------------------	----	----	------------------